

## EXERCISES #1

### OVERVIEW, COORDINATE SYSTEMS

**Exercise 1.** Find the rectangular coordinates (in 2D) of the point  $(r, \theta) = (2, \frac{\pi}{4})$  in polar coordinates.

**Exercise 2.** Find the polar coordinates of the point  $(x, y) = (1, -1)$  in rectangular coordinates (in 2D).

**Exercise 3.** Find the rectangular coordinates (in 3D) of the point  $(r, \theta, z) = (4, \frac{4\pi}{3}, 1)$  in cylindrical coordinates.

**Exercise 4.** Find the cylindrical coordinates of the point  $(x, y, z) = (0, -1, 3)$  in rectangular coordinates (in 3D).

**Exercise 5.** Explain why  $\rho = \sqrt{r^2 + z^2}$  (in the context of expressing spherical coordinates in terms of cylindrical coordinates).

**Exercise 6.** Convert the point  $(x, y, z) = (0, -2, 0)$  in rectangular coordinates (in 3D) to spherical coordinates.

**Exercise 7.** Convert the point  $(\rho, \theta, \phi) = (2, \frac{\pi}{4}, \frac{\pi}{4})$  to rectangular coordinates (in 3D).

**Exercise 8.** Express the equation  $\phi = \frac{\pi}{4}$ , in spherical coordinates, of the cone in terms of cylindrical coordinates.

**Exercise 9.** Consider a vertical line (in 2D) through the point  $(3, 3)$  (expressed in rectangular coordinates). Decide if the line would be more easily expressed in polar coordinates or in rectangular coordinates. Then write an equation for it.

**Exercise 10.** Find an equation in polar coordinates for the curve represented by the given equation in rectangular coordinates (in 2D).

- $x^2 + y^2 = 7$ .
- $x = -1$ .
- $y = \sqrt{3}x$ .
- $x^2 + y^2 = 4y$ .